Biochimica et Biophysica Acta, 994 (1989) 291–293
Elsevier

Author index

Adrich, Z., see De Caro, A.M. (994) 281
Alpert, B., see Pin, S. (994) 47
Alvear, M., Jabalquinto, A.M. and Cardemil, E.
Inactivation of chicken liver mevalonate 5-diphosphate decarboxylase by sulfhydryl-directed reagents: evidence of a functional dithiol (994) 7
Anderson, B.M., see Yoon, H. (994) 75
Anderson, C.D., see Yoon, H. (994) 75
Araki, T., Yoshioka, Y. and Schmid, K.
The position of the disulfide bonds in human plasma α_2HS-glycoprotein and the repeating double disulfide bonds in the domain structure (994) 195
Atkinson, T., see Spencer, P. (994) 270
Augusteyn, R.C., see Thomson, J.A. (994) 246

Bai, R.-l., Duanmu, C. and Hamel, E.
Mechanism of action of the antimitotic drug 2,4-dichlorobenzyl thiocyanate: alkylation of sulfhydryl group(s) of β-tubulin (994) 12
Bar-Tana, J., see Rosen, G. (994) 264
Bendianishvili, M.V., see Shatilov, V.R. (994) 222
Bieth, J.G., Dirrig, S., Jung, M.-L., Boudier, C., Papamichael, E., Sakarellos, C. and Dimicoli, J.-L.
Investigation of the active center of rat pancreatic elastase (994) 64
Bieth, J.G., see Laurent, P. (994) 285
Boelens, R., see De Marco, A. (994) 121
Bonicel, J.J., see De Caro, A.M. (994) 281
Bonomi, F., Cerioli, A. and Pagani, S.
Molecular aspects of the removal of ferritin-bound iron by DL-dihydrolipoate (994) 180
Boudier, C., see Bieth, J.G. (994) 64
Bown, K.J., see Spencer, P. (994) 270
Brems, D.N., see MacKenzie, N.E. (994) 166
Burhans, M.S., see Wispe, J.R. (994) 30

Capon, C., see De Caro, A.M. (994) 281
Cardemil, E., see Alvear, M. (994) 7
Cerioli, A., see Bonomi, F. (994) 180
Chen, Y.-J., see Hua, Q.-X. (994) 114
Clancy, M.J., see Pugh, T.A. (994) 200
Clark, J.C., see Wispe, J.R. (994) 30

De Caro, A.M., Adrich, Z., Fournet, B., Capon, C., Bonicel, J.J., De Caro, J.D. and Rovery, M.
N-terminal sequence extension in the glycosylated forms of human pancreatic stone protein. The 5-oxoproline N-terminal chain is *O*-glycosylated on the 5th amino acid resia (994) 281
De Caro, J.D., see De Caro, A.M. (994) 281
Dekker, H.L., see Harvey, P.J. (994) 59
De Marco, A., Petros, A.M., Llinás, M., Kaptein, R. and Boelens, R.
Ligand-binding effects on the kringle 4 domain from human plasminogen: a study by laser photo-CIDNP ^{1}H-NMR spectroscopy (994) 121
Dieckhoff, J., see Risse, G. (994) 258
Dimicoli, J.-L., see Bieth, J.G. (994) 64
Dirrig, S., see Bieth, J.G. (994) 64
Duanmu, C., see Bai, R.-l. (994) 12

Elsässer, K., see Risse, G. (994) 258
Emrie, P.A., Shannon, J.M., Mason, R.J. and Fisher, J.H.
cDNA and deduced amino acid sequence for the rat hydrophobic pulmonary surfactant-associated protein, SP-B (994) 215

Fay, P.J. and Walker, F.J.
Inactivation of human factor VIII by activated protein C: evidence that the factor VIII light chain contains the activated protein C binding site (2a4) 142
Ferradini, C., see Pin, S. (994) 47
Fisher, J.H., see Emrie, P.A. (994) 215
Fournet, B., see De Caro, A.M. (994) 281
Fujioka, M., see Gomi, T. (994) 172

Gadsby, P.M.A., Hartshorn, R.T., Moura, J.J.G., Sinclair-Day, J.D., Sykes, A.G. and Thomson, A.J.
Redox properties of the diheme cytochrome c_4 from *Azotobacter vinelandii* and characterisation of the two hemes by NMR, MCD and EPR spectroscopy (994) 37
Geary, W.A. and Gonias, S.L.
Inactivation of α_2-antiplasmin by limited reaction with *cis*-dichlorodiammineplatinum (II) (994) 1
Gomi, T., Takata, Y. and Fujioka, M.
Rat liver *S*-adenosylhomocysteinase. Spectrophotometric study of coenzyme binding (994) 172
Gonias, S.L., see Geary, W.A. (994) 1
Gore, M.G., see Spencer, P. (994) 270
Gray, K.A., see Hirasawa, M. (994) 229

Hamel, E., see Bai, R.-l. (994) 12
Hara, Y., see Satoh, K. (994) 104
Hartshorn, R.T., see Gadsby, P.M.A. (994) 37
Harvey, P.J., Palmer, J.M., Schoemaker, H.E., Dekker, H.L. and Wever, R.
Pre-steady-state kinetic study on the formation of Compound I and II of ligninase (994) 59
Hayes, J.D., Milner, S.W. and Walker, S.W.
Expression of glyoxalase, glutathione peroxidase and glutathione *S*-transferase isoenzymes in different bovine tissues (994) 21
Hickel, B., see Pin, S. (994) 47
Hirasawa, M., Gray, K.A., Ondrias, M.R., Larsen, R.W., Shaw, R.W., Morrow, Jr., K.J. and Knaff, D.B.
Prosthetic group content and ligand binding properties of a spinach catalase (994) 229
Horie, S., see Sugano, S. (994) 235
Hua, Q.-X., Chen, Y.-J., Wang, C.-C., Wang, D.-C. and Roberts, G.C.K.
High resolution ^{1}H-NMR studies of Des-(B26–B30)-insulin; assignment of resonances and properties of aromatic residues (994) 114

Ikeda, H., see Sugano, S. (994) 235

Jabalquinto, A.M., see Alvear, M. (994) 7
Jameson, D.M., Thomas, V. and Zhou, D.M.
Time-resolved fluorescence studies on NADH bound to mitochondrial malate dehydrogenase (994) 187
Jung, M.-L., see Bieth, J.G. (994) 64

Kano, I., see Satoh, K. (994) 104
Kaptein, R., see De Marco, A. (994) 121
Keleti, T., see Leoncini, R. (994) 52
Knaff, D.B., see Hirasawa, M. (994) 229
Korfhagen, T.R., see Wispe, J.R. (994) 30
Kretovich, W.L., see Shatilov, V.R. (994) 222
Kropp, K.E., see Wispe, J.R. (994) 30

Lachant, N.A., Zerez, C.R. and Tanaka, K.R.
Pyrimidine nucleotides impair phosphoribosylpyrophosphate (PRPP) synthetase subunit aggregation by sequestering magnesium. A mechanism for the decreased PRPP synthetase activity in hereditary erythrocyte pyrimidine 5′-nucleotidase deficiency (994) 81
Larsen, R.W., see Hirasawa, M. (994) 229
Laurent, P. and Bieth, J.G.
Kinetics of the inhibition of free and elastin-bound human pancreatic elastase by α_1-proteinase inhibitor and α_2-macroglobulin (994) 285
Leoncini, R., Pagani, R., Marinello, E. and Keleti, T.
Double inhibition of L-threonine dehydratase by aminothiols (994) 52
Lindahl, T. and Wiman, B.
Purification of high and low molecular weight plasminogen activator inhibitor 1 from fibrosarcoma cell-line HT 1080 conditioned medium (994) 253
Ljungström, E., Yates, M.G. and Nordlund, S.
Purification of the activating enzyme for the Fe-protein of nitrogenase from *Azospirillum brasilense* (994) 210
Llinás, M., see De Marco, A. (994) 121
Loseva, L.P., see Shatilov, V.R. (994) 222

MacKenzie, N.E., Plaisted, S.M. and Brems, D.N.
Proton nuclear magnetic resonance study of the histidine residues of pituitary bovine growth hormone (994) 166
Magee, P.T., see Pugh, T.A. (994) 200
Mannherz, H.G., see Risse, G. (994) 258
Marinello, E., see Leoncini, R. (994) 52
Mason, R.J., see Emrie, P.A. (994) 215
Milner, S.W., see Hayes, J.D. (994) 21
Morrow, Jr., K.J., see Hirasawa, M. (994) 229
Moura, J.J.G., see Gadsby, P.M.A. (994) 37

Nagai, F., see Satoh, K. (994) 104
Nakagawa, A., see Satoh, K. (994) 104
Nakao, M., see Satoh, K. (994) 104
Nakao, T., see Satoh, K. (994) 104
Nethery, A. and O'Grady, R.L.
Identification of a metalloproteinase co-purifying with rat tumour collagenase and the characteristics of fragments of both enzymes (994) 149
Nordlund, S., see Ljungström, E. (994) 210
Nordlund, S., see Soliman, A. (994) 138

O'Grady, R.L., see Nethery, A. (994) 149
Okamoto, M., see Sugano, S. (994) 235
Ondrias, M.R., see Hirasawa, M. (994) 229

Pagani, R., see Leoncini, R. (994) 52
Pagani, S., see Bonomi, F. (994) 180
Palmer, J.M., see Harvey, P.J. (994) 59
Papamichael, E., see Bieth, J.G. (994) 64
Petrén, S. and Vesterberg, O.
The *N*-acetylneuraminic acid content of five forms of human transferrin (994) 161
Petros, A.M., see De Marco, A. (994) 121
Pin, S., Hickel, B., Alpert, B. and Ferradini, C.
Parameters controlling the kinetics of ferric and ferrous hemeproteins reduction by hydrated electrons (994) 47
Plaisted, S.M., see MacKenzie, N.E. (994) 166
Prodanov, E., see Radi, R.A. (994) 89
Pugh, T.A., Shah, J.C., Magee, P.T. and Clancy, M.J.
Characterization and localization of the sporulation glucoamylase of *Saccharomyces cerevisiae* (994) 200

Radi, R.A., Rubbo, H. and Prodanov, E.
Comparison of the effects of superoxide dismutase and cytochrome *c* on luminol chemiluminescence produced by xanthine oxidase-catalyzed reactions (994) 89
Risse, G., Stochaj, U., Elsässer, K., Dieckhoff, J., Mannherz, H.G. and Von der Mark, K.
Structural comparison of the 68 kDa laminin-binding protein and 5′-nucleotidase from chicken muscular sources: Evidence against a gross structural similarity of both proteins (994) 258
Roberts, G.C.K., see Hua, Q.-X. (994) 114
Robinson, J.D.
Solvent effects on substrate and phosphate interactions with the $(Na^+ + K^+)$-ATPase (994) 95
Rosen, G. and Bar-Tana, J.
Fatty acyl coupled catalase (994) 264
Rovery, M., see De Caro, A.M. (994) 281
Rubbo, H., see Radi, R.A. (994) 89

Sakarellos, C., see Bieth, J.G. (994) 64
Satoh, K., Nakao, T., Nagai, F., Kano, I., Nakagawa, A., Ushiyama, K., Urayama, O., Hara, Y. and Nakao, M.
A monoclonal antibody against horse kidney $(Na^+ + K^+)$-ATPase inhibits sodium pump and E_2K to E_1 conversion of $(Na^+ + K^+)$-ATPase from outside of the cell membrane (994) 104
Scawen, M.D., see Spencer, P. (994) 270
Schmid, K., see Araki, T. (994) 195
Schoemaker, H.E., see Harvey, P.J. (994) 59
Shah, J.C., see Pugh, T.A. (994) 200
Shannon, J.M., see Emrie, P.A. (994) 215
Shatilov, V.R., Loseva, L.P., Bendianishvili, M.V., Shubin, V.V. and Kretovich, W.L.
Essential lysine residue(s) in the coenzyme non-specific glutamate dehydrogenase from *Chlorella pyrenoidosa* 82T is responsible for irreversible inactivation by diethyl pyrocarbonate and unspecific inhibition by 4-chloromercuribenzoate (994) 222
Shaw, R.W., see Hirasawa, M. (994) 229
Shichi, H., see Tsunasawa, S. (994) 191
Shubin, V.V., see Shatilov, V.R. (994) 222
Sinclair-Day, J.D., see Gadsby, P.M.A. (994) 37
Soliman, A. and Nordlund, S.
Purification and partial characterization of glutamine synthetase from the photosynthetic bacterium *Rhodospirillum rubrum* (994) 138
Spencer, P., Bown, K.J., Scawen, M.D., Atkinson, T. and Gore, M.G.
Isolation and characterisation of the glycerol dehydrogenase from *Bacillus stearothermophilus* (994) 270
Stochaj, U., see Risse, G. (994) 258
Sugano, S., Okamoto, M., Ikeda, H., Takizawa, N. and Horie, S.
Multiple molecular forms of cytochrome *P*-450$_{SCC}$ purified from bovine corpus luteum mitochondria (994) 235
Sykes, A.G., see Gadsby, P.M.A. (994) 37

Takata, Y., see Gomi, T. (994) 172
Takizawa, N., see Sugano, S. (994) 235
Tanaka, K.R., see Lachant, N.A. (994) 81
Thomas, V., see Jameson, D.M. (994) 187
Thomson, A.J., see Gadsby, P.M.A. (994) 37

Thomson, J.A. and Augusteyn, R.C.
On the structure of α-crystallin: Construction of hybrid molecules and homopolymers (994) 246
Tsunasawa, S. and Shichi, H.
The amino acid sequence of S-antigen: N-terminus and uveitogenic peptides (994) 191

Urayama, O., see Satoh, K. (994) 104
Ushiyama, K., see Satoh, K. (994) 104

Vesterberg, O., see Petrén, S. (994) 161
Von der Mark, K., see Risse, G. (994) 258

Walker, F.J., see Fay, P.J. (2a4) 142
Walker, S.W., see Hayes, J.D. (994) 21
Wang, C.-C., see Hua, Q.-X. (994) 114
Wang, D.-C., see Hua, Q.-X. (994) 114
Wever, R., see Harvey, P.J. (994) 59
Whitsett, J.A., see Wispe, J.R. (994) 30
Wiman, B., see Lindahl, T. (994) 253
Wispe, J.R., Clark, J.C., Burhans, M.S., Kropp, K.E., Korfhagen, T.R. and Whitsett, J.A.
Synthesis and processing of the precursor for human mangano-superoxide dismutase (994) 30

Yates, M.G., see Ljungström, E. (994) 210
Yoon, H., Anderson, C.D. and Anderson, B.M.
Kinetic studies of *Haemophilus influenzae* 6-phosphogluconate dehydrogenase (994) 75
Yoshioka, Y., see Araki, T. (994) 195

Zerez, C.R., see Lachant, N.A. (994) 81
Zhou, D.M., see Jameson, D.M. (994) 187